



**PROFESJONALNE WKRETY  
DO DREWNA PFS+  
PFS+ SCREWS**

---

# Index

	<b>PFWVTV</b>	Wkręty do drewna z frezem pfs+, T-drive Chipboard screw pfs+ with double countersunk head, T-drive	p. 83
	<b>PFWVTG</b>	Wkręty do drewna z frezem pfs+, T-drive Chipboard screw pfs+ with double countersunk head, T-drive	p. 84
	<b>PFWVTV</b>	Wkręty do drewna z frezem pfs+, T-drive Chipboard screw pfs+ with double countersunk head, T-drive	p. 84
	<b>PFWVTG</b>	Wkręty do drewna z frezem pfs+, T-drive Chipboard screw pfs+ with double countersunk head, T-drive	p. 85
	<b>PFABST</b>	Wkręty do montażu okuć Angle bracket screw, T-drive	p. 85
	<b>PFETTG</b>	Wkręty do konstrukcji drewnianych z kołnierzem, T-drive Wood construction screws with flange head, T-drive	p. 86
	<b>PFEVTG</b>	Wkręty do konstrukcji drewnianych z łbem stożkowym płaskim, T-drive Wood construction screws with countersunk head, T-drive	p. 87
	<b>PFDCTG</b>	Wkręty dachowy z podwójnym gwintem, T-drive Roofing screw with double thread, T-drive	p. 87
	<b>PFWVTV</b>	Wkręty do drewna z frezem pfs+, stal nierdzewna A2, T-drive Chipboard screw pfs+ with double countersunk head, T-drive	p. 88
	<b>PFWVTG</b>	Wkręty do drewna z frezem pfs+, stal nierdzewna A2, T-drive Chipboard screw pfs+ with double countersunk head, T-drive	p. 88
	<b>PGWVTV</b>	Wkręty do drewna ze stali nierdzewnej, T-drive Chipboard screw with double countersunk head, T-drive	p. 88
	<b>PGWVTG</b>	Wkręty do drewna ze stali nierdzewnej, T-drive Chipboard screw with double countersunk head, T-drive	p. 89
	<b>PGTZBW</b>	Wkręty samowierzące do drewna, T-drive Selfdrilling chipboard screw, T-drive	p. 89
	<b>PFWHTG</b>	Wkręty do twardego drewna, T-drive Tropical HARDWOOD screw with small head, T-drive	p. 90
	<b>PFWHTG</b>	Wkręty do twardego drewna z główką malowaną na czarno, T-drive Tropical HARDWOOD screw with black painted head, T-drive	p. 90
	<b>PFWHVG</b>	Wkręty do twardego drewna z brązowym łbem, gniazdo kwadratowe Tropical HARDWOOD screw with brown painted head, square recess	p. 90
	<b>PFWDTG</b>	Wkręty do twardego drewna z podwójnym gwintem, T-drive Tropical HARDWOOD screw with double thread, T-drive	p. 90
	<b>PFMVTG</b>	Wkręty do płyt MDF z łbem stożkowym, T-drive MDF screw with double countersunk head, T-drive	p. 91
	<b>HAFVTG</b>	Wkręty do fasad Hapax Façade screw	p. 91

**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+

Professional wood screws pfs+



**Wkręty do drewna z frezem pfs+, T-drive**

**Wkręty do drewna z frezem pfs+, T-drive**

**Chipboard screw pfs+ with double countersunk head, T-drive**

**Chipboard screw pfs+ with double countersunk head, T-drive**

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTV002002500123	5410439303514	2,5	12	T8	200	28800
PFWVTV002002500163	5410439303521	2,5	16	T8	200	28800
PFWVTV002002500203	5410439202473	2,5	20	T8	200	28800
PFWVTV002003000123	5410439004015	3	12	T10	200	28800
PFWVTV002003000163	5410439004022	3	16	T10	200	28800
PFWVTV002003000203	5410439004039	3	20	T10	200	16000
PFWVTV002003000253	5410439004046	3	25	T10	200	16000
PFWVTV002003000303	5410439004053	3	30	T10	200	12000
PFWVTV002003000353	5410439004060	3	35	T10	200	12000
PFWVTV002003000403	5410439107341	3	40	T10	200	9600
PFWVTV002003500163	5410439004084	3,5	16	T15	200	28800
PFWVTV002003500203	5410439004091	3,5	20	T15	200	16000
PFWVTV002003500253	5410439004107	3,5	25	T15	200	16000
PFWVTV002003500303	5410439004114	3,5	30	T15	200	12000
PFWVTV002003500353	5410439004121	3,5	35	T15	200	12000
PFWVTV002003500403	5410439004138	3,5	40	T15	200	7200
PFWVTV002003500453	5410439004145	3,5	45	T15	200	7200
PFWVTV002003500503	5410439004152	3,5	50	T15	200	7200
PFWVTV002004000123	5410439004169	4	12	T20	200	28800
PFWVTV002004000163	5410439004176	4	16	T20	200	16000
PFWVTV002004000203	5410439004183	4	20	T20	200	16000
PFWVTV002004000253	5410439004190	4	25	T20	200	12000
PFWVTV002004000303	5410439004206	4	30	T20	200	12000
PFWVTV002004000353	5410439004213	4	35	T20	200	9600
PFWVTV002004000403	5410439004220	4	40	T20	200	7200
PFWVTV002004000453	5410439004237	4	45	T20	200	7200
PFWVTV002004000503	5410439004244	4	50	T20	200	7200
PFWVTV002004000603	5410439004268	4	60	T20	200	4800
PFWVTV002004500163	5410439004282	4,5	16	T20	200	16000
PFWVTV002004500203	5410439004299	4,5	20	T20	200	12000
PFWVTV002004500253	5410439004305	4,5	25	T20	200	12000
PFWVTV002004500303	5410439004312	4,5	30	T20	200	9600
PFWVTV002004500353	5410439004329	4,5	35	T20	200	7200
PFWVTV002004500403	5410439004336	4,5	40	T20	200	7200
PFWVTV002004500453	5410439004343	4,5	45	T20	200	4800
PFWVTV002004500503	5410439004350	4,5	50	T20	200	4800
PFWVTV002004500603	5410439004374	4,5	60	T20	200	3200
PFWVTV002004500703	5410439201797	4,5	70	T20	200	3200
PFWVTV002005000203	5410439004411	5	20	T25	200	9600

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTV002005000253	5410439004428	5	25	T25	200	9600
PFWVTV002005000303	5410439004435	5	30	T25	200	7200
PFWVTV002005000353	5410439004442	5	35	T25	200	7200
PFWVTV002005000403	5410439004459	5	40	T25	200	7200
PFWVTV002005000453	5410439004466	5	45	T25	200	4800
PFWVTV002005000503	5410439004473	5	50	T25	200	4800
PFWVTV002005000603	5410439004497	5	60	T25	200	3200
PFWVTV002005000703	5410439201803	5	70	T25	200	2400
PFWVTV002006000303	5410439201827	6	30	T30	200	7200
PFWVTV002006000403	5410439201841	6	40	T30	200	4800
PFWVTV002006000503	5410439176606	6	50	T30	200	3200
PFWVTV002006000603	5410439176620	6	60	T30	200	2400
PFWVTV002006000703	5410439201872	6	70	T30	200	1600




**Wkręty do drewna z frezem pfs+, T-drive**

**Chipboard screw pfs+ with double countersunk head, T-drive**

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTG002003000253	5410439201889	3	25	T10	200	16000
PFWVTG002003000303	5410439201896	3	30	T10	200	12000
PFWVTG002003000353	5410439201902	3	35	T10	200	12000
PFWVTG002003000403	5410439201919	3	40	T10	200	9600
PFWVTG002003500253	5410439201933	3,5	25	T15	200	16000
PFWVTG002003500303	5410439201940	3,5	30	T15	200	12000
PFWVTG002003500353	5410439201957	3,5	35	T15	200	12000
PFWVTG002003500403	5410439201964	3,5	40	T15	200	7200
PFWVTG002003500453	5410439201971	3,5	45	T15	200	7200
PFWVTG002003500503	5410439201988	3,5	50	T15	200	7200
PFWVTG002004000303	5410439201995	4	30	T20	200	12000
PFWVTG002004000353	5410439202053	4	35	T20	200	9600
PFWVTG002004000403	5410439202091	4	40	T20	200	7200
PFWVTG002004000453	5410439202107	4	45	T20	200	7200
PFWVTG002004000503	5410439202114	4	50	T20	200	7200
PFWVTG002004000603	5410439202121	4	60	T20	200	4800
PFWVTG002004000703	5410439004275	4	70	T20	200	3200

**pfs<sup>+</sup>**


Profesjonalna wkręty do drewna pfs+  
Professional wood screws pfs+



**Wkręty do drewna z frezem pfs+, T-drive**

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTG002004500303	5410439202138	4,5	30	T20	200	9600
PFWVTG002004500353	5410439202145	4,5	35	T20	200	7200
PFWVTG002004500403	5410439202152	4,5	40	T20	200	7200
PFWVTG002004500453	5410439202169	4,5	45	T20	200	4800
PFWVTG002004500503	5410439202176	4,5	50	T20	200	4800
PFWVTG002004500603	5410439202183	4,5	60	T20	200	3200
PFWVTG002004500703	5410439004381	4,5	70	T20	200	3200
PFWVTG002004500803	5410439004398	4,5	80	T20	200	3200
PFWVTG002005000403	5410439202190	5	40	T25	200	7200
PFWVTG002005000453	5410439202299	5	45	T25	200	7200
PFWVTG002005000503	5410439202350	5	50	T25	200	4800
PFWVTG002005000603	5410439202374	5	60	T25	200	3200
PFWVTG002005000703	5410439004503	5	70	T25	200	2400
PFWVTG002005000803	5410439004510	5	80	T25	200	2400
PFWVTG002005000903	5410439004527	5	90	T25	200	2400
PFWVTG002005001003	5410439004534	5	100	T25	200	1600
PFWVTG002005001203	5410439202381	5	120	T25	200	1600
PFWVTG002006000603	5410439202398	6	60	T30	200	2400
PFWVTG002006000703	5410439176637	6	70	T30	200	1600
PFWVTG002006000803	5410439176644	6	80	T30	200	1600
PFWVTG002006000903	5410439176651	6	90	T30	200	1600
PFWVTG002006001003	5410439176668	6	100	T30	100	1600
PFWVTG002006001103	5410439202404	6	110	T30	100	1600
PFWVTG002006001203	5410439176675	6	120	T30	100	1200
PFWVTG002006001303	5410439202411	6	130	T30	100	1200
PFWVTG002006001403	5410439176682	6	140	T30	100	1200
PFWVTG002006001503	5410439181563	6	150	T30	100	1200
PFWVTG002006001603	5410439202428	6	160	T30	100	1200
PFWVTG002006001803	5410439202435	6	180	T30	100	800
PFWVTG002006002003	5410439202442	6	200	T30	100	800



**Wkręty do drewna z frezem pfs+, T-drive**

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTV001003000123	5410439376655	3	12	T10	200	28800
PFWVTV001003000163	5410439376662	3	16	T10	200	28800
PFWVTV001003000203	5410439376679	3	20	T10	200	16000
PFWVTV001003000253	5410439376686	3	25	T10	200	16000
PFWVTV001003000303	5410439376693	3	30	T10	200	12000
PFWVTV001003000353	5410439376709	3	35	T10	200	12000
PFWVTV001003000403	5410439376716	3	40	T10	200	9600
PFWVTV001003500163	5410439338868	3,5	16	T15	200	28800
PFWVTV001003500203	5410439376730	3,5	20	T15	200	16000
PFWVTV001003500253	5410439376747	3,5	25	T15	200	16000
PFWVTV001003500303	5410439376754	3,5	30	T15	200	12000
PFWVTV001003500353	5410439376761	3,5	35	T15	200	12000
PFWVTV001003500403	5410439376778	3,5	40	T15	200	7200
PFWVTV001003500453	5410439376785	3,5	45	T15	200	7200
PFWVTV001003500503	5410439376792	3,5	50	T15	200	7200
PFWVTV001004000123	5410439376808	4	12	T20	200	28800
PFWVTV001004000163	5410439376815	4	16	T20	200	16000
PFWVTV001004000203	5410439376822	4	20	T20	200	16000
PFWVTV001004000253	5410439376839	4	25	T20	200	12000
PFWVTV001004000303	5410439376846	4	30	T20	200	12000
PFWVTV001004000353	5410439376853	4	35	T20	200	9600
PFWVTV001004000403	5410439376860	4	40	T20	200	7200
PFWVTV001004000453	5410439376877	4	45	T20	200	7200
PFWVTV001004000503	5410439376884	4	50	T20	200	7200
PFWVTV001004000603	5410439376891	4	60	T20	200	4800
PFWVTV001004500163	5410439376907	4,5	16	T20	200	16000
PFWVTV001004500203	5410439376914	4,5	20	T20	200	12000
PFWVTV001004500253	5410439376921	4,5	25	T20	200	12000
PFWVTV001004500303	5410439376938	4,5	30	T20	200	9600
PFWVTV001004500353	5410439376945	4,5	35	T20	200	7200
PFWVTV001004500403	5410439376952	4,5	40	T20	200	7200
PFWVTV001004500453	5410439376969	4,5	45	T20	200	4800
PFWVTV001004500503	5410439376976	4,5	50	T20	200	4800
PFWVTV001004500603	5410439376983	4,5	60	T20	200	3200
PFWVTV001005000203	5410439377003	5	20	T25	200	9600
PFWVTV001005000253	5410439377010	5	25	T25	200	9600
PFWVTV001005000303	5410439377027	5	30	T25	200	7200
PFWVTV001005000353	5410439377034	5	35	T25	200	7200
PFWVTV001005000403	5410439377041	5	40	T25	200	7200

**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+

Professional wood screws pfs+



PFWVTV



Wkręty do drewna z frezem pfs+, T-drive

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTV001005000453	5410439377058	5	45	T25	200	4800
PFWVTV001005000503	5410439377065	5	50	T25	200	4800
PFWVTV001005000603	5410439376600	5	60	T25	200	3200
PFWVTV001005000703	5410439376617	5	70	T25	200	2400
PFWVTV001006000303	5410439377072	6	30	T30	200	7200
PFWVTV001006000403	5410439377089	6	40	T30	200	4800
PFWVTV001006000503	5410439376624	6	50	T30	200	3200
PFWVTV001006000603	5410439376631	6	60	T30	200	2400
PFWVTV001006000703	5410439376648	6	70	T30	200	2400



PFWVTG



Wkręty do drewna z frezem pfs+, T-drive

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTG001003000253	5410439338837	3	25	T10	200	16000
PFWVTG001003000303	5410439376273	3	30	T10	200	12000
PFWVTG001003000353	5410439376280	3	35	T10	200	12000
PFWVTG001003000403	5410439376297	3	40	T10	200	9600
PFWVTG001003500253	5410439338844	3,5	25	T15	200	16000
PFWVTG001003500303	5410439376303	3,5	30	T15	200	12000
PFWVTG001003500353	5410439376310	3,5	35	T15	200	12000
PFWVTG001003500403	5410439376327	3,5	40	T15	200	7200
PFWVTG001003500453	5410439376334	3,5	45	T15	200	7200
PFWVTG001003500503	5410439376341	3,5	50	T15	200	7200
PFWVTG001004000303	5410439376358	4	30	T20	200	12000
PFWVTG001004000353	5410439376365	4	35	T20	200	9600
PFWVTG001004000403	5410439376372	4	40	T20	200	7200
PFWVTG001004000453	5410439376389	4	45	T20	200	7200
PFWVTG001004000503	5410439376396	4	50	T20	200	7200
PFWVTG001004000603	5410439376402	4	60	T20	200	4800
PFWVTG001004000703	5410439376419	4	70	T20	200	3200
PFWVTG001004500303	5410439376426	4,5	30	T20	200	9600
PFWVTG001004500353	5410439376433	4,5	35	T20	200	7200
PFWVTG001004500403	5410439376440	4,5	40	T20	200	7200
PFWVTG001004500453	5410439376457	4,5	45	T20	200	4800
PFWVTG001004500503	5410439376464	4,5	50	T20	200	4800



PFWVTG



Wkręty do drewna z frezem pfs+, T-drive

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTG001004500603	5410439376471	4,5	60	T20	200	3200
PFWVTG001004500702	5410439376068	4,5	70	T20	200	3200
PFWVTG001004500802	5410439376075	4,5	80	T20	200	3200
PFWVTG001005000403	5410439376488	5	40	T25	200	7200
PFWVTG001005000453	5410439376495	5	45	T25	200	4800
PFWVTG001005000503	5410439376501	5	50	T25	200	4800
PFWVTG001005000603	5410439376082	5	60	T25	200	3200
PFWVTG001005000703	5410439376099	5	70	T25	200	2400
PFWVTG001005000803	5410439376105	5	80	T25	200	2400
PFWVTG001005000903	5410439376112	5	90	T25	200	2400
PFWVTG001005001003	5410439376129	5	100	T25	200	1600
PFWVTG001005001203	5410439376136	5	120	T25	200	1600
PFWVTG001006000603	5410439376143	6	60	T30	200	2400
PFWVTG001006000703	5410439376150	6	70	T30	200	2400
PFWVTG001006000803	5410439376167	6	80	T30	200	1600
PFWVTG001006000903	5410439376174	6	90	T30	200	1600
PFWVTG001006001003	5410439376181	6	100	T30	100	1600
PFWVTG001006001103	5410439376198	6	110	T30	100	1600
PFWVTG001006001203	5410439376204	6	120	T30	100	1200
PFWVTG001006001303	5410439376211	6	130	T30	100	1200
PFWVTG001006001403	5410439376228	6	140	T30	100	1200
PFWVTG001006001503	5410439376235	6	150	T30	100	1200
PFWVTG001006001603	5410439376242	6	160	T30	100	1200
PFWVTG001006001803	5410439376259	6	180	T30	100	800
PFWVTG001006002003	5410439376266	6	200	T30	100	800



P FABST



Wkręty do montażu okuć

Angle bracket screw, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	
P FABST001005000353	5410439091176	5	35	500
P FABST001005000403	5410439091183	5	40	500
P FABST001005000453	5410439091220	5	45	500
P FABST001005000503	5410439091190	5	50	500
P FABST001005000603	5410439091206	5	60	500
P FABST001005000703	5410439091213	5	70	500



**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+  
Professional wood screws pfs+



Wkręty do konstrukcji drewnianych z kołnierzem, T-drive

Wood construction screws with flange head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFETTG001006000303	5410439360463	6	30	T30	100	3600
PFETTG001006000403	5410439360470	6	40	T30	100	2400
PFETTG001006000503	5410439360487	6	50	T30	100	2400
PFETTG001006000603	5410439360494	6	60	T30	100	1600
PFETTG001006000703	5410439360500	6	70	T30	100	1600
PFETTG001006000803	5410439390286	6	80	T30	100	1600
PFETTG001006001003	5410439390293	6	100	T30	100	1600
PFETTG001006001203	5410439390309	6	120	T30	100	1200
PFETTG001006001403	5410439206518	6	140	T30	100	1200
PFETTG001006001603	5410439393607	6	160	T30	100	800
PFETTG001006001803	5410439632119	6	180	T30	100	800
PFETTG001006002003	5410439421928	6	200	T30	100	800
PFETTG001006002203	5410439632126	6	220	T30	100	800
PFETTG001006002403	5410439632133	6	240	T30	100	400
PFETTG001006002603	5410439421935	6	260	T30	100	600
PFETTG001006002803	5410439632140	6	280	T30	100	400
PFETTG001006003003	5410439701655	6	300	T30	100	600
PFETTG001008000403	5410439635226	8	40	T40	50	1200
PFETTG001008000503	5410439683449	8	50	T40	50	800
PFETTG001008000603	5410439638180	8	60	T40	50	800
PFETTG001008000803	5410439317337	8	80	T40	50	800
PFETTG001008001003	5410439318570	8	100	T40	50	600
PFETTG001008001203	5410439317085	8	120	T40	50	600
PFETTG001008001403	5410439318600	8	140	T40	50	600
PFETTG001008001603	5410439318617	8	160	T40	50	400
PFETTG001008001803	5410439318624	8	180	T40	50	400
PFETTG001008002003	5410439318631	8	200	T40	50	400
PFETTG001008002203	5410439318648	8	220	T40	50	400
PFETTG001008002403	5410439318655	8	240	T40	50	200
PFETTG001008002603	5410439318662	8	260	T40	50	300
PFETTG001008002803	5410439318679	8	280	T40	50	300
PFETTG001008003003	5410439318686	8	300	T40	50	300
PFETTG001008003203	5410439318693	8	320	T40	50	300
PFETTG001008003403	5410439318709	8	340	T40	50	
PFETTG001008003603	5410439318716	8	360	T40	50	
PFETTG001008003803	5410439318723	8	380	T40	50	
PFETTG001008004003	5410439318730	8	400	T40	50	
PFETTG001010000803	5410439318747	10	80	T40	50	600
PFETTG001010001003	5410439318754	10	100	T40	50	600



Wkręty do konstrukcji drewnianych z kołnierzem, T-drive

Wood construction screws with flange head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFETTG001010001203	5410439318761	10	120	T40	50	400
PFETTG001010001403	5410439318778	10	140	T40	50	400
PFETTG001010001603	5410439318785	10	160	T40	50	300
PFETTG001010001803	5410439318792	10	180	T40	50	300
PFETTG001010002003	5410439318808	10	200	T40	50	300
PFETTG001010002203	5410439329606	10	220	T40	50	400
PFETTG001010002403	5410439329613	10	240	T40	50	300
PFETTG001010002603	5410439329620	10	260	T40	50	
PFETTG001010002803	5410439329637	10	280	T40	50	200
PFETTG001010003003	5410439329644	10	300	T40	50	
PFETTG001010003203	5410439329651	10	320	T40	50	
PFETTG001010003403	5410439329668	10	340	T40	50	
PFETTG001010003603	5410439329675	10	360	T40	50	
PFETTG001010003803	5410439329682	10	380	T40	50	
PFETTG001010004003	5410439329699	10	400	T40	50	



Wkręty do konstrukcji drewnianych z kołnierzem, T-drive

Wood construction screws with flange head, T-drive, black

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type	
PFETTG003006000303	5410439319676	6	30	T30	100
PFETTG003006000403	5410439319683	6	40	T30	100
PFETTG003006000503	5410439319690	6	50	T30	100
PFETTG003008000403	5410439329385	8	40	T40	50
PFETTG003008000503	5410439329392	8	50	T40	50

**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+  
Professional wood screws pfs+



PFETTG



Wkręty do konstrukcji drewnianych z kołnierzem, T-drive - stal nierdzewna

Wood construction screws with flange head, T-drive - stainless steel

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFETTGA00006000403	5410439112970	6	40	T30	100	2400
PFETTGA00006000503	5410439003773	6	50	T30	100	2400
PFETTGA00006000603	5410439269087	6	60	T30	100	1600
PFETTGA00006000703	5410439110747	6	70	T30	100	1600
PFETTGA00006000803	5410439474115	6	80	T30	100	1600
PFETTGA00006001003	5410439474122	6	100	T30	100	1600
PFETTGA00006001203	5410439271486	6	120	T30	100	1200
PFETTGA00006001403	5410439110730	6	140	T30	100	1200
PFETTGA00006001603	5410439110723	6	160	T30	100	800
PFETTGA00008000403	5410439273688	8	40	T40	50	1800
PFETTGA00008000503	5410439021807	8	50	T40	50	800
PFETTGA00008000603	5410439297943	8	60	T40	50	800
PFETTGA00008000803	5410439342117	8	80	T40	50	800
PFETTGA00008001003	5410439342124	8	100	T40	50	600
PFETTGA00008001203	5410439342131	8	120	T40	50	600
PFETTGA00008001403	5410439363327	8	140	T40	50	600
PFETTGA00008001603	5410439364690	8	160	T40	50	400
PFETTGA00008001803	5410439362580	8	180	T40	50	400
PFETTGA00008002003	5410439364706	8	200	T40	50	400



PFEVTG



Wkręty do konstrukcji drewnianych z łbem stożkowym płaskim, T-drive

Wood construction screws with countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFEVTG001005000403	5410439631815	5	40	T25	200	7200
PFEVTG001005000503	5410439701839	5	50	T25	200	4800
PFEVTG001005000603	5410439701921	5	60	T25	200	3200
PFEVTG001005000703	5410439701938	5	70	T25	200	2400
PFEVTG001005000803	5410439701945	5	80	T25	200	2400
PFEVTG001005000903	5410439701952	5	90	T25	200	2400
PFEVTG001005001003	5410439701969	5	100	T25	200	1600
PFEVTG001005001203	5410439701976	5	120	T25	200	1600
PFEVTG001006000603	5410439701983	6	60	T30	200	2400
PFEVTG001006000703	5410439701990	6	70	T30	200	1600
PFEVTG001006000803	5410439702003	6	80	T30	200	1600
PFEVTG001006000903	5410439702010	6	90	T30	100	1600
PFEVTG001006001003	5410439702027	6	100	T30	100	1600
PFEVTG001006001203	5410439702034	6	120	T30	100	1200
PFEVTG001006001403	5410439702041	6	140	T30	100	1200
PFEVTG001006001603	5410439702058	6	160	T30	100	1200
PFEVTG001006001803	5410439702065	6	180	T30	100	800
PFEVTG001006002003	5410439702072	6	200	T30	100	800
PFEVTG001006002203	5410439244053	6	220	T30	100	800
PFEVTG001006002403	5410439359320	6	240	T30	100	800
PFEVTG001006002603	5410439359337	6	260	T30	100	600
PFEVTG001006002803	5410439359344	6	280	T30	100	600
PFEVTG001006003003	5410439359351	6	300	T30	100	400
PFEVTG001008000803	5410439437356	8	80	T40	50	800
PFEVTG001008001003	5410439437363	8	100	T40	50	800
PFEVTG001008001203	5410439437370	8	120	T40	50	600
PFEVTG001008001403	5410439437387	8	140	T40	50	600

**pfs<sup>+</sup>**


Profesjonalna wkręty do drewna pfs+  
Professional wood screws pfs+



Wkręty do konstrukcji drewnianych z łbem stożkowym płaskim, T-drive

Wood construction screws with countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFEVTG001008001603	5410439437394	8	160	T40	50	600
PFEVTG001008001803	5410439437400	8	180	T40	50	400
PFEVTG001008002003	5410439437417	8	200	T40	50	400
PFEVTG001008002203	5410439437424	8	220	T40	50	400
PFEVTG001008002403	5410439437431	8	240	T40	50	400
PFEVTG001008002603	5410439437448	8	260	T40	50	300
PFEVTG001008002803	5410439437455	8	280	T40	50	200
PFEVTG001008003003	5410439437462	8	300	T40	50	200
PFEVTG001008003203	5410439437479	8	320	T40	50	200
PFEVTG001008003403	5410439437486	8	340	T40	50	
PFEVTG001008003603	5410439437493	8	360	T40	50	
PFEVTG001008003803	5410439437509	8	380	T40	50	
PFEVTG001008004003	5410439437516	8	400	T40	50	
PFEVTG001010001003	5410439437530	10	100	T40	50	600
PFEVTG001010001203	5410439437547	10	120	T40	50	600
PFEVTG001010001403	5410439437554	10	140	T40	50	600
PFEVTG001010001603	5410439437561	10	160	T40	50	600
PFEVTG001010001803	5410439437578	10	180	T40	50	400
PFEVTG001010002003	5410439437585	10	200	T40	50	400
PFEVTG001010002203	5410439437592	10	220	T40	50	400
PFEVTG001010002403	5410439437608	10	240	T40	50	300
PFEVTG001010002603	5410439437615	10	260	T40	50	
PFEVTG001010002803	5410439437622	10	280	T40	50	
PFEVTG001010003003	5410439437639	10	300	T40	25	150
PFEVTG001010003203	5410439437646	10	320	T40	25	150
PFEVTG001010003403	5410439437653	10	340	T40	25	100
PFEVTG001010003603	5410439437660	10	360	T40	25	
PFEVTG001010003803	5410439437677	10	380	T40	25	
PFEVTG001010004003	5410439437523	10	400	T40	25	



Wkręty dachowy z podwójnym gwintem, T-drive

Roofing screw with double thread, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFDCTG001008001653	5410439476881	8	165	T40	50	400
PFDCTG001008001953	5410439476898	8	195	T40	50	400
PFDCTG001008002253	5410439321112	8	225	T40	50	400



Wkręty dachowy z podwójnym gwintem, T-drive

Roofing screw with double thread, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFDCTG001008002353	5410439321129	8	235	T40	50	300
PFDCTG001008002553	5410439321310	8	255	T40	50	300
PFDCTG001008002753	5410439321327	8	275	T40	50	300
PFDCTG001008003003	5410439323116	8	300	T40	50	200
PFDCTG001008003353	5410439323123	8	335	T40	50	
PFDCTG001008003653	5410439323130	8	365	T40	50	
PFDCTG001008003953	5410439323147	8	395	T40	50	
PFDCTG001008004353	5410439323178	8	435	T40	50	
PFDCTG001008004703	5410439476904	8	470	T40	50	



Wkręty do drewna z frezem pfs+, stal nierdzewna A2, T-drive

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFWVTVA00004000253	5410439363891	4	25	T20	200	12000
PFWVTVA00004000303	5410439363907	4	30	T20	200	12000
PFWVTVA00004000353	5410439363914	4	35	T20	200	9600
PFWVTVA00004000403	5410439363921	4	40	T20	200	7200
PFWVTVA00004500503	5410439363938	4,5	50	T20	200	4800



Wkręty do drewna z frezem pfs+, stal nierdzewna A2, T-drive

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Recess type		
PFWVTGA00004000303	5410439363747	4	30	T20	200	
PFWVTGA00004000403	5410439363754	4	40	T20	200	7200
PFWVTGA00004000453	5410439363761	4	45	T20	200	7200
PFWVTGA00004000503	5410439363778	4	50	T20	200	7200
PFWVTGA00004000603	5410439363785	4	60	T20	200	4800
PFWVTGA00004500503	5410439363808	4,5	50	T20	200	4800
PFWVTGA00004500603	5410439363815	4,5	60	T20	200	3200
PFWVTGA00004500703	5410439363730	4,5	70	T20	200	3200
PFWVTGA00004500803	5410439363822	4,5	80	T20	200	3200



**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+

Professional wood screws pfs+



PFWVTG



Wkręty do drewna z frezem pfs+, stal nierdzewna A2, T-drive

Chipboard screw pfs+ with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWVTGA00005000503	5410439363945	5	50	T25	200	4800
PFWVTGA00005000603	5410439363839	5	60	T25	200	3200
PFWVTGA00005000703	5410439363846	5	70	T25	200	2400
PFWVTGA00005000803	5410439363853	5	80	T25	200	2400
PFWVTGA00005000903	5410439363860	5	90	T25	200	2400
PFWVTGA00005001003	5410439363877	5	100	T25	200	1600



PGWVTV



Wkręty do drewna ze stali nierdzewnej, T-drive

Chipboard screw with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PGWVTVA00003000123	5410439318549	3	12	T10	200	28800
PGWVTVA00003000163	5410439253475	3	16	T10	200	28800
PGWVTVA00003000203	5410439253482	3	20	T10	200	16000
PGWVTVA00003500163	5410439253499	3,5	16	T15	200	28800
PGWVTVA00003500203	5410439253505	3,5	20	T15	200	16000
PGWVTVA00004000163	5410439253512	4	16	T20	200	16000
PGWVTVA00004000203	5410439218801	4	20	T20	200	16000
PGWVTVA00004000253	5410439220187	4	25	T20	200	12000
PGWVTVA00004000303	5410439311205	4	30	T20	200	12000
PGWVTVA00004000353	5410439643399	4	35	T20	200	9600
PGWVTVA00004000403	5410439241533	4	40	T20	200	7200
PGWVTVA00004000453	5410439643382	4	45	T20	200	7200
PGWVTVA00004000503	5410439428736	4	50	T20	200	7200
PGWVTVA00004500203	5410439253451	4,5	20	T20	200	12000
PGWVTVA00004500303	5410439282314	4,5	30	T20	200	12000
PGWVTVA00004500403	5410439769655	4,5	40	T20	200	7200
PGWVTVA00004500453	5410439228060	4,5	45	T20	200	4800
PGWVTVA00005000203	5410439253468	5	20	T25	200	9600
PGWVTVA00005000303	5410439355681	5	30	T25	200	7200
PGWVTVA00005000403	5410439349734	5	40	T25	200	7200
PGWVTVA00005000453	5410439769662	5	45	T25	200	4800
PGWVTVA00005000503	5410439214810	5	50	T25	200	4800



PGWVTG



Wkręty do drewna ze stali nierdzewnej, T-drive

Chipboard screw with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PGWVTGA00003000253	5410439253529	3	25	T10	200	16000
PGWVTGA00003000303	5410439253536	3	30	T10	200	12000
PGWVTGA00003000353	5410439253543	3	35	T10	200	12000
PGWVTGA00003000403	5410439253550	3	40	T10	200	9600
PGWVTGA00003500253	5410439238809	3,5	25	T15	200	16000
PGWVTGA00003500303	5410439253567	3,5	30	T15	200	12000
PGWVTGA00003500353	5410439253574	3,5	35	T15	200	12000
PGWVTGA00003500403	5410439253581	3,5	40	T15	200	7200
PGWVTGA00003500453	5410439309875	3,5	45	T15	200	7200
PGWVTGA00003500503	5410439309882	3,5	50	T15	200	7200
PGWVTGA00004000253	5410439253598	4	25	T20	200	12000
PGWVTGA00004000303	5410439236874	4	30	T20	200	12000
PGWVTGA00004000353	5410439253604	4	35	T20	200	9600
PGWVTGA00004000403	5410439205436	4	40	T20	200	7200
PGWVTGA00004000453	5410439211680	4	45	T20	200	7200
PGWVTGA00004000503	5410439211673	4	50	T20	200	7200
PGWVTGA00004000603	5410439213868	4	60	T20	200	4800
PGWVTGA00004000703	5410439253611	4	70	T20	200	3200
PGWVTGA00004500253	5410439253628	4,5	25	T20	200	12000
PGWVTGA00004500303	5410439253635	4,5	30	T20	200	9600
PGWVTGA00004500353	5410439253642	4,5	35	T20	200	7200
PGWVTGA00004500403	5410439211666	4,5	40	T20	200	7200
PGWVTGA00004500453	5410439211659	4,5	45	T20	200	4800
PGWVTGA00004500503	5410439211642	4,5	50	T20	200	4800
PGWVTGA00004500603	5410439211635	4,5	60	T20	200	3200
PGWVTGA00004500703	5410439253659	4,5	70	T20	200	3200
PGWVTGA00005000253	5410439253666	5	25	T25	200	9600
PGWVTGA00005000303	5410439253673	5	30	T25	200	7200
PGWVTGA00005000353	5410439253680	5	35	T25	200	7200
PGWVTGA00005000403	5410439210195	5	40	T25	200	7200
PGWVTGA00005000453	5410439242530	5	45	T25	200	4800
PGWVTGA00005000503	5410439211628	5	50	T25	200	4800
PGWVTGA00005000603	5410439211611	5	60	T25	200	3200
PGWVTGA00005000703	5410439239660	5	70	T25	200	2400
PGWVTGA00005000803	5410439211598	5	80	T25	200	2400
PGWVTGA00005000903	5410439253697	5	90	T25	200	2400
PGWVTGA00005001003	5410439217217	5	100	T25	200	1600
PGWVTGA00006000303	5410439253703	6	30	T30	200	7200
PGWVTGA00006000403	5410439253710	6	40	T30	200	4800

**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+  
Professional wood screws pfs+



PGWVTG



Wkręty do drewna ze stali nierdzewnej, T-drive

Chipboard screw with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PGWVTGA00006000453	5410439253727	6	45	T30	200	3200
PGWVTGA00006000503	5410439253734	6	50	T30	200	3200
PGWVTGA00006000603	5410439218382	6	60	T30	200	2400
PGWVTGA00006000703	5410439240550	6	70	T30	200	2400
PGWVTGA00006000803	5410439253741	6	80	T30	200	1600
PGWVTGA00006000903	5410439253758	6	90	T30	200	1600
PGWVTGA00006001003	5410439253765	6	100	T30	200	1600
PGWVTGA00006001203	5410439253772	6	120	T30	100	1200
PGWVTGA00006001303	5410439253789	6	130	T30	100	1200
PGWVTGA00006001403	5410439253796	6	140	T30	100	1200



PFWHTG



Wkręty do twardego drewna, T-drive

Tropical HARDWOOD screw with small head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWHTGC00004000302	5410439479042	4	30	T20	200	7200
PFWHTGC00004000402	5410439402934	4	40	T20	200	7200
PFWHTGC00004000452	5410439402941	4	45	T20	200	7200
PFWHTGC00004000502	5410439402958	4	50	T20	200	7200
PFWHTGC00004000602	5410439402965	4	60	T20	200	4800
PFWHTGC00004500502	5410439402989	4,5	50	T20	200	7200
PFWHTGC00004500602	5410439402996	4,5	60	T20	200	4800
PFWHTGC00004500702	5410439403009	4,5	70	T20	200	3200
PFWHTGC00004500802	5410439403016	4,5	80	T20	200	3200
PFWHTGC00005000402	5410439352284	5	40	T25	200	7200
PFWHTGC00005000502	5410439403023	5	50	T25	200	4800
PFWHTGC00005000602	5410439403030	5	60	T25	200	3200
PFWHTGC00005000702	5410439403047	5	70	T25	200	3200
PFWHTGC00005000802	5410439403054	5	80	T25	200	3200



PGTZBW



Wkręty samowierzące do drewna, T-drive

Selfdrilling chipboard screw, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PGTZBWA00004000303	5410439213356	4	30	T20	200	12000
PGTZBWA00004000353	5410439431996	4	35	T20	200	9600
PGTZBWA00004000403	5410439213363	4	40	T20	200	7200
PGTZBWA00004000453	5410439213370	4	45	T20	200	7200
PGTZBWA00004000503	5410439213387	4	50	T20	200	4800
PGTZBWA00004500403	5410439213424	4,5	40	T20	200	7200
PGTZBWA00004500453	5410439213431	4,5	45	T20	200	4800
PGTZBWA00004500503	5410439186599	4,5	50	T20	200	4800
PGTZBWA00005000503	5410439207041	5	50	T25	200	4800
PGTZBWA00005000603	5410439186605	5	60	T25	200	3200
PGTZBWA00005000703	5410439213486	5	70	T25	200	2400
PGTZBWA00005000803	5410439213493	5	80	T25	200	1600
PGTZBWA00005000903	5410439213721	5	90	T25	200	1600
PGTZBWA00005001003	5410439213738	5	100	T25	200	1600



PFWHTG



Wkręty do twardego drewna z główką malowaną na czarno, T-drive


Tropical HARDWOOD screw with black painted head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWHTGC73004000302	5410439607247	4	30	T20	200	7200
PFWHTGC73004000402	5410439296991	4	40	T20	200	7200
PFWHTGC73004000452	5410439297004	4	45	T20	200	7200
PFWHTGC73004000502	5410439297011	4	50	T20	200	7200
PFWHTGC73004000602	5410439297028	4	60	T20	200	4800
PFWHTGC73004500502	5410439297035	4	50	T20	200	7200
PFWHTGC73005000402	5410439297240	5	40	T25	200	7200
PFWHTGC73005000502	5410439297042	5	50	T25	200	4800
PFWHTGC73005000602	5410439297059	5	60	T25	200	3200
PFWHTGC73005000702	5410439297257	5	70	T25	200	3200
PFWHTGC73005000802	5410439297264	5	80	T25	200	3200

**pfs<sup>+</sup>**

Profesjonalna wkręty do drewna pfs+


Professional wood screws pfs+



Wkręty do twardego drewna z podwójnym gwintem, T-drive

Tropical HARDWOOD screw with double thread, T-drive


Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWDTGB00005000502	5410439474351	5	50	T25	200	4800
PFWDTGB00005000602	5410439474368	5	60	T25	200	3200
PFWDTGB00005000702	5410439474375	5	70	T25	200	3200
PFWDTGB00005000802	5410439474900	5	80	T25	200	3200



Wkręty do płyt MDF z łbem stożkowym, T-drive

MDF screw with double countersunk head, T-drive

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFMVTG001003500303	5410439344005	3,5	30	T15	200	12000
PFMVTG001003500453	5410439344012	3,5	45	T15	200	7200
PFMVTG001003500503	5410439344029	3,5	50	T15	200	7200
PFMVTG001004000403	5410439350082	4	40	T20	200	7200
PFMVTG001004000453	5410439350099	4	45	T20	200	7200
PFMVTG001004000503	5410439350143	4	50	T20	200	7200
PFMVTG001004000603	5410439568036	4	60	T20	200	4800
PFMVTG001004500453	5410439574457	4,5	45	T20	200	4800
PFMVTG001004500503	5410439574464	4,5	50	T20	200	4800



Wkręty do twardego drewna z podwójnym gwintem, T-drive

Tropical HARDWOOD screw with double thread, T-drive


Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWDTGA00004000402	5410439474269	4	40	T20	200	7200
PFWDTGA00004500502	5410439474276	4,5	50	T20	200	7200
PFWDTGA00004500602	5410439474283	4,5	60	T20	200	4800
PFWDTGA00004500702	5410439474290	4,5	70	T20	200	3200
PFWDTGA00005000402	5410439474306	5	40	T25	200	7200
PFWDTGA00005000502	5410439474313	5	50	T25	200	4800
PFWDTGA00005000602	5410439474320	5	60	T25	200	3200
PFWDTGA00005000702	5410439474337	5	70	T25	200	3200
PFWDTGA00005000802	5410439474344	5	80	T25	200	3200



Wkręty do fasad

Hapax Façade screw w. small head

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
HAFVTGB00003200352	5410439064415	3,2	35	T10	1000	16000
HAFVTGB00003200402	5410439064422	3,2	40	T10	1000	12000
HAFVTGB00003200502	5410439064439	3,2	50	T10	1000	8000
HAFVTGB00003200602	5410439064538	3,2	60	T10	1000	8000
HAFVTGB00003200353	5410439091084	3,2	35	T10	200	12000
HAFVTGB00003200403	5410439091091	3,2	40	T10	200	9600
HAFVTGB00003200503	5410439091107	3,2	50	T10	200	9600
HAFVTGB00003200603	5410439091145	3,2	60	T10	200	9600



Wkręty do twardego drewna z podwójnym gwintem, T-drive, broniowane

Tropical HARDWOOD screw with double thread, T-drive, bronze

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWDTGA41005000502	5410439327367	5	50	T25	200	4800
PFWDTGA41005000602	5410439327480	5	60	T25	200	3200



Wkręty do twardego drewna z brązowym łbem, gniazdo kwadratowe

Tropical HARDWOOD screw with brown painted head, square recess

Art. ref.	EAN	Ø [mm]	l [mm]	Re-cess type		
PFWHVG72005000502	5410439435666	5	50	T25	200	4800
PFWHVG72005000602	5410439435673	5	60	T25	200	3200